

February 3, 2020

CITY OF GREEN/FINANCE

5383 MASSILLON ROAD GREEN, Ohio 44232-0278 Sourcewell member #43084 Ohio Cat contract 032119-CAT

RE: Quote 186131-01

Dear Dave Perrine,

Thank you for your interest in Ohio CAT and Caterpillar products for your business needs. This quotation is an estimated quote for the 2020 calendar year, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

One (1) New CATERPILLAR Model: 308 Mini Hydraulic Excavators with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: TBD SERIAL NUMBER: TBD YEAR: 2020 SMU:

One (1) New CATERPILLAR Model: 308E2 CF2 Mini Hydraulic Excavators with all standard equipment in addition to the additional specifications listed below:

STANDARD EQUIPMENT

ELECTRICAL-12 volt electrical system-Ignition key stop switch-60 ampere alternator-Light, cab, boom left and right-850 CCA maintenance free battery-Work lights-Battery disconnect--Courtesy safety light-Circuit breaker-Warning horn

OPERATOR ENVIRONMENT-100% pilot Control Ergonomic Joysticks-Mirror rear view: Cab Left-12V power socket-Molded footrests-Adjustable wrist rests-Openable front windshield-Air conditioner with defroster-Radio ready-Coat hook-Rear window emergency exit-COMPASS:-Removable floor mat--Complete operation-Retractable seat belt--Maintenance-Rearview camera--Performance and security system-Seat, fabric, high back,--multiple languages--Air suspension, heated--Site reference system-Skylight-Cup holder-Travel control pedals with hand levers-Hydraulic neutral lockout system-Utility space for mobile phone-Interior light-Windshield wiper and washer-Literature holder

OTHER STANDARD EQUIPMENT-Accumulator, certification-High definition hydraulics-Auxiliary hydraulic lines--Load sensing/flow sharing--1-way and 2-way (combined function)-Lockable fuel cap-Adjustable auxiliary relief-Power on Demand-Auxiliary line quick disconnects-Rear reflector-Caterpillar corporate "one key" system-Roll over protective structure (ROPS)-Continuous flow-(ISO 12117-2)-Door locks-Swing boom-Dozer blade with float function-Tie down eyes on track frame-Ecology drain - engine-Tool storage area-Hydraulic Oil Cooler-Towing eye on base frame

POWERTRAIN-CAT C3.3B Diesel Engine-Automatic engine idle--U.S. EPA tier 4 final-Automatic engine shut-off--EU stage IIIB-Automatic swing park brake--ISO 9249/EEC 80/1269-Automatic two speed travel-Rated net power 48.5kW / 65 hp-Fuel and water separator

UNDERCARRIAGE-Hydraulic track adjusters

MACHINE SPECIFICATIONS

Description	Reference No	List Amount
308E2 HEXMN CFG 2	515-6836	\$126,550.00
HYD COUPLER/PIN GRABBER	485-5302	\$5,507.00
PLUGS, MIRROR MOUNT	382-1602	
DRAIN, ECOLOGY	382-8757	
308E2 HYDRAULIC EXCAVATOR	397-7005	
LINES, STICK	397-7065	
LINES, BOOM	397-7088	
CONTROL PATTERN CHANGER	397-7130	
ALARM, TRAVEL	398-6354	
COOLING, HIGH AMBIENT	415-4380	
BELT, SEAT, 76MM RETRACTABLE	415-5033	
RADIO, AM/FM	415-5040	
CONTROL AR-AUX (COMMON)	397-7030	

STICK AR-HOE LONG	397-7068	
LINKAGE, BUCKET, W/LIFTING EYE	423-6760	
STICK PKG, LONG W/BKT LINKAGE	415-5082	
TRACK,450MM TG W/RUBBER PAD	415-5183	\$2,830.00
COUNTERWEIGHT, EXTRA	367-0947	\$985.00
TANK, FUEL	380-1983	
BLADE, 91" WELD-ON	382-8801	
HYDRAULICS, AUX.,QC,(L-STK)	397-7033	\$2,045.00
PACK, DOMESTIC TRUCK	0P-0210	
SHIPPING/STORAGE PROTECTION	0P-2266	\$200.00
SERIALIZED TECHNICAL MEDIA KIT	421-8926	
LIGHTS, STANDARD	512-5613	
LANE 2 ORDER	0P-9002	
PRODUCT LINK, CELLULAR, PL240	507-2635	
INSTRUCTIONS, ANSI	397-7136	
FILM, PRODUCT LINK, ANSI	502-6610	
FILM, QUICK COUPLER, ANSI	397-7142	
THUMB, HYDRAULIC	305-6741	\$4,111.00
BUCKET-DC, 48"	306-5664	\$2,782.00
PINS, BUCKET	308-0324	\$197.00

LIST PRICE	\$154,058.00
Install hydraulic thumb	\$850.00
Less governmental discount of 34% on the machine and 18% on attachments.	\$103,281.00

WARRANTY

Standard Warranty:

24 months/2000 Hour Premier Warranty

Thank you for your interest in Ohio CAT and Caterpillar products for your business needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me.

Sincerely,

Clint Aubley
Machine Sales Representative
Ohio CAT
caubley@ohiocat.com
216-469-4859

CONTINUOUS MAIN BEAM WITH INTERLOCKING CROSSMEMBERS

DUAL WHEELS & TANDEM AXLES

ABS

HEAVY DUTY SPRING SUSPENSION

DISC TYPE WHEELS

DEFINITION OF VALUE



Quotation No:

34091819G

Date:

9/18/2019

Customer: City of Green

5383 Massillon Rd Green Oh, 44232 Bus: (330)896-6607 Bus Fax: N/A

Attn. Dave Perrine

Salesman: Clint Aubley
Terms: Net due 10 days
Delivery: 9-10 weeks

Interstate model 24DTA

General description: 24,000 lb. capacity tag-along trailer with air

brakes, beavertail & ramps.

Load capacity:

24000 lbs. at 55 M.P.H. (G.V.W.R. 30,250 lbs.)

Overall length:

29'-0"

Deck length:

24'-0" (19'-0" flat deck + 5'-0" beavertail)

Deck width:

8'-0"

Deck height:

35" unloaded

Frame construction:

Pierced mainbeam construction with one piece

interlocking crossmembers.

Mainbeams: W12" x 16 lbs. per ft., grade 50 Hi-

tensile.

Crossmembers: 6" I-beam x 3.9 lbs per ft.,

grade 50 Hi-tensile on 18" centers.

Siderails: C8" x 11.5 lbs. per ft. Grade 50 Hi-

tensile.

Headboard:

8" channel, full width of trailer.

Decking:

2" nominal oak secured to cross-

members with 5/16" torque screws.

Standard paint:

Black Urethane

(Optional colors available)
Rust prohibitive undercoating.

Suspensi Hutch 9700 multi-point spring with

radius rod axle tracking adjustment,

44,000 lb. capacity.

Axles:

(2) Dexter 12,000 lb. capacity with

oil bath hubs.

Brakes: 12-1/4" x 5" air with "Wabco"

anti-lock braking system. and spring parking brakes.

Wheels: 8 hole steel disc.

Tires: 235/80R16, (E), Cap: 3,000 lbs each. Ramps: 58" x 21.5" traction with spring assist.

Jack: 12,000 lb. dropleg, side crank.

Hitch: 4 position cast steel pintle eye,

1-5/8" stock, 2-7/8" I.D.

Tie down: (8) heavy duty D-rings, 4 per side.

Lights: 12 volt DOT & ICC approved. All lights

are LED type and flush

mounted in rubber grommets. Wiring is run in flexible neoprene jacket and modular in design. 7 way plug.

Factory Installed Options:		Note: Optional equipment may change standard	specifications.
☐ Paver package (6' beavertail + 6' ramps):		☐ Additional deck length:	
☐ Vertical ramp storage:		☑ Additional tie down rings: 2 @ \$45.00 each	
☑ Lockable tool box lid:	\$250.00	☐ Stake pockets & rubrail:	NOTES:
☐ Spare tire & wheel:		☐ 3" safety rail:	
☐ Spare tire carrier:		☐ Bucket well in beavertail:	
☐ Two way spring assist on ramps:		☑ 25,000 lb., 2 speed jack: \$250.00	
☐ Wood filled ramps: N/C		☐ Dual 2 speed landing gear:	
☐ All wood dovetail: N/C		☐ 7' x 3' electric/hydraulic ramps:	
		Additional deck length required w/hydraulic ramps	
Misc. options:		Price:	
			\$ 4 P P

Quotes good for 30 days unless otherwise stated and do not incld. F.E.T., state taxes or licensing fees.

Sub Total: Less 3% governmental discount: Freight: \$17,423 \$903.00 Included

Total delivered pricd \$

16,520.00